

# V10 CLEVIS SLING HOOKS WITH LATCH SERIES

---

The V10 Clevis Sling Hook with Latch is quenched and tempered then proof tested to prove its strength. As an additional safety feature, the hook latch prevents the load from slipping off the hook. Most commonly used with choker chain slings, connecting and disconnecting this hook to a chain or bracket is made easy by the clevis pin. This Grade 100 Clevis Sling Hook with Latch meets or exceeds OSHA, Government, NACM, and ASTM specs. This Italian made sling hook comes in a blue powder coat finish.



## FEATURES

- Grade 100
- Premium fine grain alloy steel
- Made in Italy
- Quenched and tempered before proof testing
- Blue powder coat finish
- Meets or exceeds OSHA, Government, NACM, and ASTM specs
- Equipped with a durable latch for added safety
- Full, wide throat (choker hitch)
- Commonly used with choker chain slings

# V10 CLEVIS SLING HOOKS WITH LATCH SERIES

---

## GRADE

- 100

## FINISH

- Blue Powder Coat Finish

## STANDARDS

- Meets or exceeds OSHA, Government, NACM, and ASTM specs

## ATTACHMENT

- Clevis

## HEAT TREATMENT

- Quenched and tempered before proof testing

## ORIGIN

- Made in Italy

## HOOK TYPE

- Sling Hook with latch

## APPLICATION

- Overhead Lifting

## MATERIAL

- Premium Fine Grain Alloy Steel



[WWW.KITO.CA](http://www.kito.ca) | 1.888.322.KITO (5486)

All specifications, dimensions and drawings are available at [www.kito.ca](http://www.kito.ca), or call our Customer Service staff for friendly and expert advice on models and options.


2

V10 ALLOY CHAIN  
ACCESSORIES

# V10 CLEVIS SLING HOOKS WITH LATCH SERIES

---

## DIAGRAM DRAWINGS



# V10 CLEVIS SLING HOOKS WITH LATCH SERIES

## PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim A	Dim D	Dim G	Dim H	Dim O	Dim O1	Dim P x L	Dim R	Lbs. Per Ea.	Working Load Limit (Lbs.)
8918100	CBX06SF	7/32	6	0.276	0.709	0.650	0.787	0.984	0.748	0.29 x 0.65	2.717	0.60	2700
8918200	CBX07SF	9/32 - 5/16	7 - 8	0.354	0.984	0.748	1.102	1.260	1.024	0.38 x 0.91	3.720	1.35	5700
8918400	CBX10SF	3/8	10	0.453	1.181	0.984	1.299	1.535	1.220	0.49 x 1.16	4.291	2.47	8800
8918600	CBX13SF	1/2	13	0.571	1.496	1.181	1.575	1.890	1.535	0.63 x 1.46	5.315	4.52	15000
8918700	CBX16SF	5/8	16	0.689	1.732	1.457	1.850	2.165	1.772	0.79 x 2.05	6.102	7.50	22600
8918800	CBX20SF	3/4	20	0.906	2.047	2.008	1.969	2.402	2.087	0.94 x 2.87	7.205	13.80	35300
8918900	CBX22SF	7/8	22	0.965	2.362	1.969	2.402	2.795	2.402	1.06 x 2.80	8.346	19.32	42700



WWW.KITO.CA | 1.888.322.KITO (5486)

All specifications, dimensions and drawings are available at [www.kito.ca](http://www.kito.ca), or call our Customer Service staff for friendly and expert advice on models and options.

V10 ALLOY CHAIN  
ACCESSORIES