

V10™ EYE SELF-LOCKING HOOKS

The V10™ Eye Self-locking Hook features a positive locking latch that ensures safety and security during lifts and while under load. Quenched and tempered before proof testing, the V10™ Eye Self-locking Hook meets or exceeds OSHA, Government, NACM, and ASTM specs. All V10™ products are accompanied with a product test certificate.



V10™ EYE SELF-LOCKING HOOKS

GRADE

- 100

FINISH

- Blue Powder Coat Finish

STANDARDS

- Meets or exceeds ASTM A952, NACM, & OSHA 910 Standards
- Fatigue Tested at 1.5 times the WLL for 20,000 cycles
- Proof Tested at twice the WLL
- Safety factor 4:1

ATTACHMENT

- Eye

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in Italy

HOOK TYPE

- Self-Locking Hook

APPLICATION


- Overhead Lifting

MATERIAL

- Premium Fine Grain Alloy Steel

V10™ EYE SELF-LOCKING HOOKS

DIAGRAM DRAWINGS



V10™ EYE SELF-LOCKING HOOKS

PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim D (in.)	Dim E (in.)	Dim F (in.)	Dim G (in.)	Dim H (in.)	Dim O (in.)	Dim R (in.)	Lbs. Per Ea.	Working Load Limit (Lbs.)
8497100	CROX06	7/32	6	1.378	0.433	0.827	0.63	0.807	1.102	4.331	1.17	2700
8497200	CROX08	9/32 - 5/16	7 - 8	1.713	0.472	1.063	0.787	1.024	1.339	5.354	1.96	5700
8497400	CROX10	3/8	10	2.205	0.591	1.358	0.965	1.181	1.772	6.634	3.48	8800
8497600	1/2	13	2.717	0.787	1.575	1.358	1.575	2.028	8.071	6.97	15000	
8497700	CROX16	5/8	16	3.15	1.063	1.969	1.398	1.969	2.362	9.902	13.34	22600